

Lithium-Polymer Part # Chart

<u>Part Number</u>	<u>Capacity Typ mAh</u>	<u>Capacity, Min mAh</u>	<u>Nominal Voltage</u>	<u>Height (+/-1) mm</u>	<u>Width (+/- 0.5) mm</u>	<u>Thickness (+/- 0.3)mm</u>	<u>Approx. Weight, gm</u>
LiP451124	65	60	3.7	24	11	4.50	1.80
LiP551124	80	70	3.7	24	11	5.50	2.00
LiP531130	110	100	3.7	30	11	5.30	2.50
LiP601130	130	120	3.7	30	11	6.00	3.00
LiP701130	150	140	3.7	30	11	7.00	3.50
LiP401235	110	100	3.7	35	11	4.00	3.50
LiP401235-120	120	100	3.7	35	12	4.00	3.00
LiP451235	120	100	3.7	35	12	4.50	3.00
LiP501235	130	120	3.7	35	12	5.00	3.50
LiP551235	150	140	3.7	35	12	5.50	3.80
LiP55123-160	160	150	3.7	35	12	5.50	3.50
LiP601235	160	150	3.7	35	12	6.00	3.90
LiP621235	180	170	3.7	35	12	6.20	4.10
LiP401250	180	170	3.7	50	12	4.00	4.50
LiP401428	120	100	3.7	28	14	4.00	2.50
LiP401429	120	100	3.7	29	14	4.00	3.00
LiP601429	160	150	3.7	29	14	6.00	3.70
LiP391630	130	120	3.7	30	16	3.90	3.00
LiP601653	400	360	3.7	53	16	6.00	8.50
LiP301730	75	70	3.7	30	17	3.00	2.40
LiP361730	120	110	3.7	30	17	3.60	3.10
LiP401730	135	120	3.7	30	17	4.00	3.50
LiP451730	190	180	3.7	30	17	4.50	3.80
LiP551730	190	180	3.7	30	17	5.50	4.50
LiP651730	230	220	3.7	30	17	6.50	5.00
LiP401734	170	160	3.7	34	17	4.00	4.00

Lithium-Polymer Part # Chart

<u>Part Number</u>	<u>Capacity Typ mAh</u>	<u>Capacity, Min mAh</u>	<u>Nominal Voltage</u>	<u>Height (+/-1) mm</u>	<u>Width (+/- 0.5) mm</u>	<u>Thickness (+/- 0.3)mm</u>	<u>Approx. Weight, gm</u>
LiP601736	320	300	3.7	36	17	6.00	6.60
LiP401745	220	200	3.7	45	17	4.00	6.00
LiP601753	450	400	3.7	53	17	6.00	9.50
LiP401845	250	230	3.7	45	18	4.00	4.50
LiP401845-55	250	230	3.7	45	18	4.00	5.50
LiP461845	290	280	3.7	45	18	4.60	6.50
LiP601845	360	340	3.7	45	18	5.00	8.50
LiP502016	80	70	3.7	16	20	5.00	2.20
LiP602016	100	90	3.7	16	20	6.00	2.50
LiP602024	200	180	3.7	24	20	6.00	4.50
LiP382025	130	120	3.7	25	20	3.80	3.00
LiP532025	190	180	3.7	25	20	5.30	4.40
LiP352030	140	130	3.7	30	20	3.50	3.00
LiP382030	145	130	3.7	30	20	3.80	3.50
LiP402030	170	150	3.7	30	20	4.00	4.20
LiP452030-190	190	170	3.7	30	20	4.50	4.50
LiP482030	230	220	3.7	30	20.5	4.80	5.30
LiP502030	210	190	3.7	30	20	5.00	5.00
LiP502030-250	250	230	3.7	30	20	5.00	5.50
LiP562030	230	220	3.7	30	20	5.60	5.50
LiP582030	250	230	3.7	30	20	5.80	6.00
LiP602030	250	240	3.7	30	20	6.00	6.00
LiP222036	80	70	3.7	36	20	2.20	2.00
LiP352036	150	130	3.7	36	20	3.50	4.00
LiP382036	180	170	3.7	36	20	3.80	5.00
LiP402036	210	190	3.7	36	20	4.00	5.00

Lithium-Polymer Part # Chart

<u>Part Number</u>	<u>Capacity Typ mAh</u>	<u>Capacity, Min mAh</u>	<u>Nominal Voltage</u>	<u>Height (+/-1) mm</u>	<u>Width (+/- 0.5) mm</u>	<u>Thickness (+/- 0.3)mm</u>	<u>Approx. Weight, gm</u>
LiP452036	220	200	3.7	36	20	4.50	5.00
LiP452036	250	230	3.7	36	20	4.50	5.50
LiP402055	390	360	3.7	55	20	4.00	8.60
LiP402060	400	360	3.7	60	20	4.00	9.00
LiP502060	550	500	3.7	60	20	5.00	11.00
LiP302225	110	100	3.7	25	22	3.00	2.80
LiP402225	155	140	3.7	25	22	4.00	4.30
LiP602225	210	190	3.7	25	22	6.00	5.00
LiP222248	130	120	3.7	48	22	2.20	4.00
LiP302248	200	180	3.7	48	22	3.00	5.50
LiP452248	330	300	3.7	48	22	4.50	7.80
LiP602248	550	500	3.7	48	22	6.00	12.00
LiP622248	550	500	3.7	48	22	6.20	11.50
LiP552331	280	270	3.7	31	23	5.50	6.50
LiP602331	330	280	3.7	31	23	6.00	7.50
LiP322431	170	160	3.7	31	24	3.20	4.00
LiP352431	200	180	3.7	31	24	3.50	4.50
LiP562438	500	450	3.7	38	27	5.60	9.50
LiP372447	380	350	3.7	47	24	3.70	8.50
LiP562447	550	500	3.7	47	24	5.60	11.50
LiP562447-600	600	550	3.7	47	24	5.60	12.00
LiP852448	850	830	3.7	48	24	8.50	17.00
LiP452543	460	400	3.7	43	25	4.50	8.50
LiP372548	400	60	3.7	48	25	3.70	8.40
LiP502648	550	500	3.7	48	26	5.00	11.00
LiP502648-580	580	550	3.7	48	26	5.00	11.00

Lithium-Polymer Part # Chart

<u>Part Number</u>	<u>Capacity Typ mAh</u>	<u>Capacity, Min mAh</u>	<u>Nominal Voltage</u>	<u>Height (+/-1) mm</u>	<u>Width (+/- 0.5) mm</u>	<u>Thickness (+/- 0.3)mm</u>	<u>Approx. Weight, gm</u>
LiP582648	600	570	3.7	48	26	5.80	12.50
LiP332726	150	140	3.7	26	27	3.30	3.50
LiP362726-170	170	160	3.7	26	27	3.60	4.00
LiP422726	250	230	3.7	26	27	4.20	5.50
LiP302730	160	150	3.7	30	27	3.00	4.00
LiP542730	320	300	3.7	30	27	5.40	7.00
LiP652730	420	400	3.7	30	27	6.50	8.50
LiP802730	530	500	3.7	30	27	8.00	11.00
LiP702843	750	700	3.7	43	28	7.00	14.50
LiP602940	600	570	3.7	40	29	6.00	12.50
LiP652940-680	680	650	3.7	40	29	6.50	14.00
LiP882940	950	900	3.7	40	29	8.38	16.50
LiP422945	500	480	3.7	45	29	4.20	10.50
LiP482948	620	600	3.7	48	29	4.80	13.00
LiP603026	360	330	3.7	26	30	6.00	8.00
LiP803026	480	450	3.7	26	30	8.00	9.50
LiP503040	500	480	3.7	40	30	5.00	11.00
LiP503042	550	500	3.7	42	30	5.00	11.50
LiP833042	850	800	3.7	42	30	8.30	18.50
LiP703043	800	750	3.7	43	30	7.00	16.50
LiP423048	580	530	3.7	45	29	4.20	12.50
LiP453048	620	580	3.7	45	29	4.20	12.50
LiP483048	650	600	3.7	48	30	4.80	13.00
LiP523048	750	700	3.7	48	30	5.20	15.50
LiP603048	800	750	3.7	48	30	6.00	16.00

Lithium-Polymer Part # Chart

<u>Part Number</u>	<u>Capacity Typ mAh</u>	<u>Capacity, Min mAh</u>	<u>Nominal Voltage</u>	<u>Height (+/-1) mm</u>	<u>Width (+/- 0.5) mm</u>	<u>Thickness (+/- 0.3)mm</u>	<u>Approx. Weight, gm</u>
LiP623048	800	750	3.7	48	30	6.20	16.50
LiP723048	1000	900	3.7	48	30	7.20	20.00
LiP433050	650	600	3.7	50	30	4.30	13.00
LiP423058	750	700	3.7	58	30	4.20	15.00
LiP803058	1300	1200	3.7	58	30	8.00	26.50
LiP323236	300	280	3.7	36	32	3.20	7.50
LiP453236	420	380	3.7	36	32	4.50	9.30
LiP723248	1050	950	3.7	48	32	7.20	27.00
LiP423250	700	650	3.7	50	32	4.20	14.00
LiP523250	850	800	3.7	50	32	5.20	17.00
LiP603250	900	850	3.7	50	32	6.00	18.00
LiP723250	1200	1100	3.7	50	32	7.20	23.00
LiP503434	500	480	3.7	34	34	5.00	10.50
LiP603434	550	500	3.7	34	34	6.00	11.50
LiP603434-600	600	550	3.7	34	34	6.00	12.50
LiP483436	460	440	3.7	36	34	4.80	10.00
LiP553436	550	500	3.7	36	34	5.50	11.50
LiP553436	600	550	3.7	36	34	5.50	12.00
LiP603436	600	550	3.7	36	34	6.00	12.00
LiP603436	650	600	3.7	36	34	5.00	12.50
LiP503440	630	600	3.7	40	34	5.00	14.00
LiP603440	750	700	3.7	40	34	6.00	15.00
LiP383448	620	570	3.7	48	34	3.80	12.00
LiP523448	800	750	3.7	48	34	5.20	16.00
LiP523448	880	830	3.7	48	34	5.20	17.50

Lithium-Polymer Part # Chart

<u>Part Number</u>	<u>Capacity Typ mAh</u>	<u>Capacity, Min mAh</u>	<u>Nominal Voltage</u>	<u>Height (+/-1) mm</u>	<u>Width (+/- 0.5) mm</u>	<u>Thickness (+/- 0.3)mm</u>	<u>Approx. Weight, gm</u>
LiP603448	900	800	3.7	48	34	6.00	18.50
LiP623348	900	800	3.7	48	34	6.20	18.50
LiP623448-950	950	850	3.7	48	34	6.20	18.50
LiP663448	950	850	3.7	48	34	6.60	20.00
LiP703448	1050	1000	3.7	48	34	7.00	20.00
LiP663448	950	850	3.7	48	34	6.60	20.00
LiP703448	1050	1000	3.7	48	34	7.00	20.00
LiP753448	1100	1000	3.7	48	34	7.50	22.00
LiP803448	1200	1050	3.7	48	34	8.00	25.50
LiP383450	680	620	3.7	50	34	3.80	13.50
LiP383450	720	680	3.7	50	34	3.80	13.50
LiP423450	700	650	3.7	50	34	4.20	13.00
LiP453450	730	700	3.7	50	34	4.50	14.00
LiP623450	1050	1000	3.7	50	34	6.20	21.00
LiP343454	570	500	3.7	54	34	3.40	13.00
LiP383454	650	600	3.7	54	34	3.80	13.50
LiP383454	720	680	3.7	54	34	3.80	14.50
LiP423454	770	720	3.7	54	34	4.20	16.00
LiP523454	900	850	3.7	54	34	5.20	18.50
LiP623454	1050	950	3.7	54	34	6.20	21.00
LiP383466	800	750	3.7	66	34	3.80	17.00
LiP423466	950	850	3.7	66	34	4.20	21.00
LiP453466	1050	950	3.7	66	34	4.50	20.50
LiP703466	1400	1300	3.7	66	34	7.00	29.00
LiP803466	1850	1800	3.7	66	34	8.00	36.30

Lithium-Polymer Part # Chart

<u>Part Number</u>	<u>Capacity Typ mAh</u>	<u>Capacity, Min mAh</u>	<u>Nominal Voltage</u>	<u>Height (+/-1) mm</u>	<u>Width (+/- 0.5) mm</u>	<u>Thickness (+/- 0.3)mm</u>	<u>Approx. Weight, gm</u>
LiP423480	1100	1000	3.7	80	34	4.20	23.00
LiP523480	1350	1250	3.7	80	34	5.20	28.00
LiP603480	1500	1400	3.7	80	34	6.00	30.00
LiP803548	1300	1200	3.7	48	35	8.00	26.00
LiP293560	570	520	3.7	60	35	2.90	11.50
LiP383560	760	700	3.7	60	35	3.80	15.50
LiP383560-850	850	800	3.7	60	35	3.80	16.00
LiP523560	1050	950	3.7	60	35	5.20	21.00
LiP603560	1200	1100	3.7	60	35	6.00	23.00
LiP853560	1700	1600	3.7	60	35	8.50	32.50
LiP383562	900	850	3.7	62	35	3.80	16.00
LiP483648	800	750	3.7	48	36	4.80	15.00
LiP803648	1350	1250	3.7	48	36	8.00	26.00
LiP853648	1400	1300	3.7	48	36	8.50	28.00
LiP883648	1500	1400	3.7	48	36	8.80	29.00
LiP683650	1200	1100	3.7	50	36	6.80	22.00
LiP883650	1650	1500	3.7	50	36	8.80	31.00
LiP483759	1050	950	3.7	59	37	4.80	21.50
LiP503759	1100	1000	3.7	59	37	5.00	22.00
LiP503759-1300	1300	1200	3.7	59	37	5.00	23.50
LiP543759	1250	1200	3.7	59	37	5.40	24.00
LiP503870	1350	1300	3.7	70	38	5.00	27.50
LiP404261	1000	950	3.7	61	42	4.00	21.50
LiP754261	1900	1800	3.7	61	42	7.50	37.30

Lithium-Polymer Part # Chart

<u>Part Number</u>	<u>Capacity Typ mAh</u>	<u>Capacity, Min mAh</u>	<u>Nominal Voltage</u>	<u>Height (+/-1) mm</u>	<u>Width (+/- 0.5) mm</u>	<u>Thickness (+/- 0.3)mm</u>	<u>Approx. Weight, gm</u>
LiP274374	700	650	3.7	74	43	2.70	15.50
LiP354374	950	900	3.7	74	43	3.50	20.50
LiP504374	1450	1400	3.7	74	43	5.00	29.50
LiP604374	2000	1900	3.7	74	43	6.00	39.50
LiP704374	2200	2000	3.7	74	43	7.00	44.00
LiP504388	1900	1800	3.7	88	43	5.00	38.00
LiP504388-2000	2000	1800	3.7	88	43	5.00	37.50
LiP684388	2700	2500	3.7	88	43	6.80	51.50
LiP654765	1900	1850	3.7	65	47	6.50	38.50
LiP704765	2100	2000	3.7	65	47	7.00	40.50
LiP325085	1250	1150	3.7	85	50	3.20	26.50
LiP325085-1450	1450	1350	3.7	85	50	3.80	30.50
LiP385085	1600	1500	3.7	85	50	3.80	32.00
LiP505085	2200	2000	3.7	85	50	5.00	44.50
LiP705085	3000	2800	3.7	85	50	7.00	60.00
LiP855085	3600	3400	3.7	85	50	8.50	72.00
LiP325385	1400	1300	3.7	85	53	3.20	29.50
LiP385385	1600	1500	3.7	85	53	3.80	34.00
LiP855464	3000	2900	3.7	64	54	8.50	58.50
LiP3505590	1200	1100	3.7	90	55	3.00	26.00
LiP365590	1700	1600	3.7	90	55	3.60	36.00
LiP405590	1900	1800	3.7	90	55	4.00	40.00
LiP505590	2500	2400	3.7	90	55	5.00	50.50
LiP505776	1900	1800	3.7	76	57	5.00	41.00
LiP605776	2500	2400	3.7	76	57	6.00	51.00
LiP705776	2800	2600	3.7	76	57	7.00	57.50

Lithium-Polymer Part # Chart

<u>Part Number</u>	<u>Capacity Typ mAh</u>	<u>Capacity, Min mAh</u>	<u>Nominal Voltage</u>	<u>Height (+/-1) mm</u>	<u>Width (+/- 0.5) mm</u>	<u>Thickness (+/- 0.3)mm</u>	<u>Approx. Weight, gm</u>
LiP387062	1500	1400	3.7	62	70	3.80	32.00
LiP507062	2200	2000	3.7	62	70	5.00	44.50
LiP607062	2500	2300	3.7	62	70	6.00	50.00
LiP8835153	4000	3600	3.7	135	35	8.80	80.50
LiP6045135	3400	3200	3.7	135	45	6.00	72.00
LiP6545135	3800	3500	3.7	135	45	6.50	82.00
LiP7545135	4500	4000	3.7	135	45	7.50	89.00
LiP8545135	5300	5000	3.7	135	45	8.50	108.00
LiP8845135-5500	5500	5000	3.7	135	45	8.80	107.00
LiP3048166	2400	2300	3.7	166	48	3.00	50.00
LiP4048166	2800	2700	3.7	166	48	4.00	65.50
LiP5048166	3500	3200	3.7	166	48	5.00	77.00
LiP5348166	3800	3500	3.7	166	48	5.30	82.00
LiP5548166	4300	4000	3.7	166	48	5.50	87.00